



HARDWICK

30" BARONESS ELECTRIC RANGE

America's Standard of Cooking Excellence Since 1879

58 A-90865



HARDWICK

30" BARONESS ELECTRIC RANGE



GENERAL

DIE-CAST CHROME AND GLASS BACKPANEL—magnificently massive... the focal point of any kitchen. **ELECTRIC CLOCK**—a "must" for modern kitchens. **Timer** signals end of preset cooking intervals. **APPLIANCE OUTLET**—convenient for toaster, mixer and other small appliances. **SHADOWBOX FLUORESCENT BACKPANEL**—lights your way to finer cooking. **BUILT-IN STYLING**—for snug fit between cabinets, against walls. **Cleaning chrome end-panel trim** emphasizes built-in look. **INDICATOR LIGHTS**—tell you whenever oven, surface elements are on. **PORCELAIN ENAMEL CONSTRUCTION**—for easy cleaning... lifetime beauty. **LUXURY DOOR HANDLES**—easy to look at... easy to clean... cool to the touch. **QUALITY BUILT**—by a manufacturer with 88 years' experience building fine cooking appliances. **ECONOMICAL**—to buy... to use... to own. **LEVELING LEGS**—"smooth out" uneven floors.

TOP-OF-THE-RANGE COOKING

LIFT-UP COOKTOP—for easy cleaning, easy maintenance. **RECESSED TOP**—eliminates spillover cares. **INFINITE CONTROLS**—give you high, low, and 1,001 in-between heats! **HIGH-SPEED ELEMENTS**—not only heat faster, but cool more quickly as well. **SELF-CLEANING ELEMENTS**—consume spillover... instantly! **PLUG-IN ELEMENTS**—easier to remove than a light bulb! **REMOVABLE DRIP BOWLS**—stay bright, look new for a lifetime... and they're so easy to keep clean.

OVEN

LARGE CAPACITY OVEN—will accommodate a whole meal or the largest roast. **AUTOMATIC CLOCK CONTROLS**—turn oven on, bake foods, turn oven off... automatically. **PORCELAIN OVEN INTERIOR, CHROME RACKS, CHROME HINGES**—for easy cleaning, lifetime newness. **Heavy insulation**—keeps heat in oven where it belongs, out of your kitchen. **RESILIENT OVEN DOOR SEAL**—"locks" door shut to hold heat inside. **TOP BROIL ELEMENT**—sizzles the largest steak to perfection. **BOTTOM BAKE ELEMENT**—engineered to give even heat distribution throughout mammoth oven... for finest baking results. **FAST PREHEAT**—both elements combine to bring oven up to preset temperature... in moments! **KING-SIZE BROILING PAN**—accommodates the largest steaks. **NON-SAG OVEN RACKS**—to keep baking 'on the level'. **OVEN RACK STOPS**—keep racks from pulling all the way out and spilling contents.

WIRING SPECIFICATIONS

Range for operation on 115/230-120/240 volts, A.C., single phase, three-wire service, 60 cycles. Underwriter Laboratory Seal of Approval.

SPECIFICATIONS

| | |
|-----------------------|--------------------------------|
| Overall height | 46" |
| Width | 30" |
| Depth | 24 1/4" |
| Height to Cooking Top | 36" |
| Oven | 24" W x 19 1/4" D x 13 1/4" H |
| Storage Drawer | 22" W x 19 1/4" D x 4 1/2" H |
| Top Elements | three 1250 watt, one 2100 watt |
| Broil Element | 3,000 watt |
| Bake Element | 3,000 watt |
| Total Connected Load | 13.3 KW |

STANDARD EQUIPMENT

| MODEL NUMBER | WEIGHT | CHOICE OF COLORS: Insert Letter "W" White, "C" Antique Copper, "O" Avocado, "Y" Gold Tone | STANDARD EQUIPMENT | | | | | | | | | | | |
|--------------|--------|---|-------------------------------|-------------------------|--|-------------------|----------------------------|-------------------|--------------------------------|---|----------------------------|---------------------------------------|---------------------------------|-------------------------|
| | | | GENERAL | | | | TOP | | | | OVEN-BROILER | | | |
| | | | CHROME FRAMED GLASS BACKPANEL | CHROME END AND TOP TRIM | AUTOMATIC CLOCK, TIMER, APPLIANCE OUTLET | PORCELAIN PACKAGE | LIFT-UP DRIP PROOF COOKTOP | INFINITE CONTROLS | PLUG-IN SELF-CLEANING ELEMENTS | ONE 2,000-WATT, THREE 1,250-WATT ELEMENTS | OVEN WINDOW AND OVEN LIGHT | LIFT-OFF OVEN DOOR WITH CHROME LINING | AUTOMATIC CLOCK-CONTROLLED OVEN | PORCELAIN OVEN INTERIOR |
| E972*-65A | 195 | * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |

EverKleen® (add prefix "K") The new miracle oven that cleans itself automatically—while you cook!

HARDWICK STOVE COMPANY • CLEVELAND, TENNESSEE



HARDWICK

30" CHALET® ELECTRIC RANGE
With Convenient Warming Shelf

America's Standard of Cooking Excellence Since 1879

86C-928200



HARDWICK

30" CHALET® ELECTRIC RANGE
With Convenient Warming Shelf



GENERAL

CHROME FRAMED GLASS BACKPANEL—magnificently massive . . . the focal point of any kitchen. **ELECTRIC CLOCK**—a "must" for modern kitchens. **Timer** signals end of preset cooking intervals. **SHADOWBOX FLUORESCENT BACKPANEL**—lights your way to finer cooking. **BUILT-IN STYLING**—for snug fit between cabinets, against walls. **Gleaming chrome end-panel trim** emphasizes built-in look. **PORCELAIN ENAMEL FINISH**—for easy cleaning . . . lifetime beauty. **LUXURY DOOR HANDLES**—easy to look at . . . easy to clean . . . cool to the touch. **ECONOMICAL**—to buy . . . to use . . . to own. **LEVELING LEGS**—"smooth out" uneven floors.

WARMING SHELF

Convenience a plenty! Use the built-in temperature-controlled warming shelf to keep meals hot and tasty, rolls or other hot breads at butter melting deliciousness, and to warm plates or serving dishes. A delayed dinner no longer means a ruined meal. Now, just place everything on the shelf, flip on the switch and dinner is kept at perfect table temperature, without overcooking.

TOP-OF-THE-RANGE COOKING

LIFT-UP COOKTOP—for easy cleaning, easy maintenance. **RECESSED TOP**—eliminates spillover cares. **INFINITE CONTROLS**—give you high, low, and 1,001 in-between heats! **HIGH-SPEED ELEMENTS**—not only heat faster, but cool more quickly as well. **SELF-CLEANING ELEMENTS**—consume spillover . . . instantly! **PLUG-IN ELEMENTS**—easier to remove than a light bulb! **REMOVABLE DRIP BOWLS**—stay bright, look new for a lifetime . . . and they're so easy to keep clean.


OVEN

LARGE CAPACITY OVEN—will accommodate a whole meal or the largest roast. **AUTOMATIC CLOCK CONTROLS**—turn oven on, bake foods, turn oven off . . . automatically. **PORCELAIN OVEN INTERIOR, CHROME RACKS, CHROME HINGES**—for easy cleaning, lifetime newness. Heavy insulation—keeps heat in oven where it belongs, out of your kitchen. **RESILIENT OVEN DOOR SEAL**—"locks" door shut to hold heat inside. **TOP BROIL ELEMENT**—sizzles the largest steak to perfection. **BOTTOM BAKE ELEMENT**—engineered to give even heat distribution throughout mammoth oven . . . for finest baking results. **FAST PREHEAT**—both elements combine to bring oven up to preset temperature . . . in moments! **KING-SIZE BROILING PAN**—accommodates the largest steaks. **NON-SAG OVEN RACKS**—to keep baking "on the level." **OVEN BACK STOPS**—keep racks from pulling all the way out and spilling contents.

WIRING SPECIFICATIONS

Range for operation on 115/230-120/240 volts, A.C., single phase, three-wire service, 60 cycles. Underwriter Laboratory Seal of Approval.

SPECIFICATIONS / Overall Height
33 3/4" Width 30" Depth
24 3/4" Height to Cooking Top
36" Oven 24" W x 13 1/8" D x
18" H Storage Drawer 22" W x
13 1/2" D x 4 1/2" H Top Ele-
ments Three 1200 Watt, One 2000
Watt Broil Element 3000 Watt
Bake Element 3000 Watt Warming
Shelf 500 Watt Total Connector
Cord 12 ft. AWG



| MODEL NUMBER | WEIGHT |
|--------------|--------|
| E922-* 200A | 220 |

STANDARD EQUIPMENT

| CHOICE OF COLORS: Insert Letter "W" for White, "A" for Antique Copper, "G" for Gold, "S" for Silver | GENERAL | | | | TOP | | | | OVEN-BROILER | | | |
|---|-------------------------------|-----------------|------------------------|---------------|----------------------------|-------------------|--------------------------------|---|----------------------------|---------------------------------------|---------------------------------|-------------------------|
| | CHROME FRAMED GLASS BACKPANEL | CHROME TRIM KIT | AUTOMATIC CLOCK, TIMER | LEVELING LEGS | LIFT-UP DRIP PROOF COOKTOP | INFINITE CONTROLS | PLUG-IN SELF-CLEANING ELEMENTS | ONE 2,000-WATT, THREE 1,350-WATT ELEMENTS | OVEN WINDOW AND OVEN LIGHT | LIFT-OFF OVEN DOOR WITH CHROME LINING | AUTOMATIC CLOCK-CONTROLLED OVEN | PORCELAIN OVEN INTERIOR |
| * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |

EverKleen®—(add prefix "K") the new miracle oven that cleans itself automatically—while you cook!

HARDWICK STOVE COMPANY • CLEVELAND, TENNESSEE



 **HARDWICK**
30" STANDARD ELECTRIC RANGE

America's Standard of Cooking Excellence Since 1879

52A-90681



HARDWICK

30" CUSTOM ELECTRIC RANGE



GENERAL

BUILT-IN STYLING — for snug fit between cabinets, against walls.
HIGH-STYLE CHROME AND PORCELAIN BACKPANEL — adds distinction to any kitchen.

PORCELAIN ENAMEL SURFACES — for easy cleaning... lifetime beauty.

CUSTOM DOOR HANDLES — easy to look at... easy to clean... cool to the touch.

INDICATOR LIGHTS — tell you whenever oven or surface elements are on.

ECONOMICAL — to buy... to use... to own.

TOP-OF-THE-RANGE COOKING

LIFT-UP COOKTOP — for easy cleaning... easy maintenance.

RECESSED TOP — eliminates spillover cares.

INFINITE CONTROLS — give you high, low and 1,001 in-between heats?

HIGH-SPEED ELEMENTS — not only heat faster, but cool more quickly as well.

SELF-CLEANING ELEMENTS — consume spillover... instantly!

PLUG-IN ELEMENTS — easier to remove than a light bulb!

REMOVABLE DRIP BOWLS — stay bright, look new for a lifetime... and they're so easy to clean.

OVEN

LARGE CAPACITY OVEN... will accommodate a whole meal or the largest roast.

PORCELAIN OVEN INTERIOR, CHROME RACKS, CHROME HINGES — for easy cleaning, lifetime newness.

TOP BROIL ELEMENT — sizzles the largest steak to perfection.

BOTTOM BAKE ELEMENT — engineered to give even heat distribution throughout mammoth oven... for finest baking results.

FAST BREHEAT — both elements combine to bring oven up to preset temperature... in moments!

KING-SIZE BROILING PAN — to accommodate the largest steaks.

NON-SAG OVEN RACKS — to keep baking 'on the level'.

OVEN RACK STOPS — keep racks from pulling all the way out and spilling contents.

HEAVY INSULATION AND RESILIENT DOOR SEAL — 'lock' heat in oven where it belongs... and out of your kitchen.

WIRING SPECIFICATIONS

Range for operation on 115/230-120/240 volts, A.C., single phase, three-wire service, 60 cycles. Underwriters Laboratory Seal of Approval.

SPECIFICATIONS

| | |
|-----------------------|--------------------------------|
| Overall height | 40 1/2" |
| Width | 30" |
| Depth | 24 1/2" |
| Height to Cooking Top | 36" |
| Oven | 24" W x 19 1/4" D x 13 1/4" H |
| Storage Drawer | 22" W x 19 1/4" D x 4 1/2" H |
| Top Elements | three 1250 watt, one 2100 watt |
| Broil Element | 3,000 watt |
| Bake Element | 3,000 watt |
| Total Connected Load | 13.3 KW |

| MODEL NUMBER | WEIGHT |
|---------------------------------|--------|
| E976-*81 (Illustrated on Front) | 175 |
| E976-D*-81 | 170 |
| E978-*83A (Illustrated Above) | 180 |
| E976-*83A | 175 |

CHOOSE OR COLORES: Insert Letter: 'W' White, 'C' Antique Copper, 'O' Onyx, 'Y' Gold Tone

STANDARD EQUIPMENT

| STANDARD EQUIPMENT | | | | | | | | | | | | | |
|---|-----|--|-----|-----|-----|----------------------------|-----|-----|--------------|---|-----|-----|-----|
| GENERAL | | | | TOP | | | | | OVEN-BROILER | | | | |
| CHOICE OF COLORS: "Imperial" W/ "Y" Gold Tone "Copper" "O" Avocado | | CHROME FRAMED MATCH G. PORC. BACKPANEL | | | | INDICATOR LIGHTS | | | | ONE 2,000-WATT, THREE 1,250-WATT ELEMENTS | | | |
| | | AUTOMATIC CLOCK, TIMER, APPLIANCE OUTLET | | | | LIFT-UP DRIP PROOF COOKTOP | | | | OVEN WINDOW, OVEN LIGHT | | | |
| | | LOWER UTILITY DRAWER | | | | INFINITE CONTROLS | | | | SILASTIC OVEN DOOR SEAL | | | |
| | | | | | | | | | | BROILER PAN WITH TRAY | | | |
| | | | | | | | | | | LIFT-UP BAKE ELEMENT | | | |
| | | | | | | | | | | PORCELAIN OVEN INTERIOR | | | |
| * * * | STD | | STD | STD | STD | STD | STD | STD | STD | | STD | STD | STD |
| * * * | STD | | | | STD | STD | STD | STD | STD | | STD | STD | STD |
| * * * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| * * * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |

HARDWICK STOVE COMPANY

CLEVELAND, TENNESSEE



 **HARDWICK**
30" LUXURY ELECTRIC RANGE

America's Standard of Cooking Excellence Since 1879

56B-90135



HARDWICK

30" DELUXE ELECTRIC RANGE



GENERAL

CHROME AND PORCELAIN BACKPANEL—magnificently massive...the focal point of any kitchen. **ELECTRIC CLOCK**—a "must" for modern kitchens. Timer signals end of preset cooking intervals. **APPLIANCE OUTLET**—convenient for toaster, mixer and other small appliances. **SHADOWBOX FLUORESCENT BACKPANEL**—lights your way to finer cooking. **BUILT-IN STYLING**—for snug fit between cabinets, against walls.

INDICATOR LIGHTS—tell you whenever oven, surface elements are on.

PORCELAIN ENAMEL CONSTRUCTION—for easy cleaning...lifetime beauty.

ECONOMICAL—to buy...to use...to own.

LEVELING LEGS—"smooth out" uneven floors.

...and they're so, so easy to clean.

TOP-OF-THE-RANGE COOKING

LIFT-UP COOKTOP—for easy cleaning, easy maintenance. **RECESSED TOP**—eliminates spillover cares. **INFINITE CONTROLS**—give you high, low, and 1,001 in-between heats! **HIGH-SPEED ELEMENTS**—not only heat faster, but cool more quickly as well. **SELF-CLEANING ELEMENTS**—consume spillover...instantly! **PLUG-IN ELEMENTS**—easier to remove than a light bulb! **REMOVABLE DRIP BOWLS**—stay bright, look new for a lifetime...and they're so easy to keep clean.

OVEN

LARGE CAPACITY OVEN—will accommodate a whole meal or the largest roast. **AUTOMATIC CLOCK CONTROLS**—turn oven on, bake foods, turn oven off...automatically. **PORCELAIN OVEN INTERIOR**, **CHROME RACKS**, **CHROME HINGES**—for easy cleaning, lifetime newness. Heavy insulation—keeps heat in oven where it belongs, out of your kitchen. **RESILIENT OVEN DOOR SEAL**—"locks" door shut to hold heat inside. **TOP BROIL ELEMENT**—sizzles the largest steak to perfection. **BOTTOM BAKE ELEMENT**—engineered to give even heat distribution throughout mammoth oven...for finest baking results. **FAST PREHEAT**—both elements combine to bring oven up to preset temperature...in moments! **KING-SIZE BROILING PAN**—accommodates the largest steaks. **NON-SAG OVEN RACKS**—to keep baking 'on the level'. **OVEN RACK STOPS**—keep racks from pulling all the way out and spilling contents.

WIRING SPECIFICATIONS

Range for operation on 115/230-120/240 volts, A.C., single phase, three-wire service, 60 cycles. Underwriter Laboratory Seal of Approval.

SPECIFICATIONS

| | |
|-----------------------|--------------------------------|
| Overall height | 45 1/4" |
| Width | 30" |
| Depth | 24 1/4" |
| Height to Cooking Top | 36" |
| Oven | 24" W x 19 1/4" D x 13 1/2" H |
| Storage Drawer | 22" W x 19 1/4" D x 4 1/2" H |
| Top Elements | three 1250 watt, one 2100 watt |
| Broil Element | 3,000 watt |
| Bake Element | 3,000 watt |
| Total Connected Load | 13.3 KW |

STANDARD EQUIPMENT

| MODEL NUMBER | WEIGHT | CHOICE OF COLORS: Insert Letter "W" for White, "C" Antique Copper, "O" Onyx, "Y" Gold Tone | STANDARD EQUIPMENT | | | | | | | | | | | |
|-------------------------------------|--------|--|--|-------------------------|--|---------------|----------------------------|-------------------|--------------------------------|---|-------------------------|-------------------------|---------------------------------------|------------|
| | | | CHROME FRAMED MATCHING PORCE BACKPANEL | CHROME END AND TOP TRIM | AUTOMATIC CLOCK, TIMER, APPLIANCE OUTLET | LEVELING LEGS | LIFT-UP DRIP PROOF COOKTOP | INFINITE CONTROLS | PLUG-IN SELF-CLEANING ELEMENTS | ONE 2,000-WATT, THREE 1,250-WATT ELEMENTS | OVEN WINDOW, OVEN LIGHT | SILASTIC OVEN DOOR SEAL | LIFT-OFF OVEN LINING WITH CHROME DOOR | ROTISSERIE |
| E972-"-35A | 190 | * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | |
| E978-"-35A (Illustrated Above) | 190 | * | STD | | STD | STD | STD | STD | STD | STD | STD | STD | | |
| E976-"-35A (Not Illustrated) | 185 | * | STD | | STD | STD | STD | STD | STD | STD | STD | STD | | |
| E971-"-35A (Illustrated on Front) | 200 | * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| E971-H-"-35A (Illustrated on Front) | 205 | * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |

EverKleen® (add prefix "K") The new miracle oven that cleans itself automatically—while you cook!

Available on models: E972-35A, E971-35A, and E971-H-35A

HARDWICK STOVE COMPANY • CLEVELAND, TENNESSEE



 **HARDWICK**
DELUXE ELECTRIC BUILT-IN
OVEN AND RANGE TOP

America's Standard of Cooking Excellence Since 1879

918-70811



HARDWICK

LUXURY ELECTRIC DOUBLE OVEN
AND RANGE TOP



BUILT-IN OVEN

GENERAL

HIGH-STYLE CHROME-TRIMMED PANEL — designed for lasting appeal. ELECTRIC CLOCK — a "must" for modern kitchens. Timer signals end of preset cooking intervals. MODERN STRAIGHT-LINE DESIGN — enhances any kitchen decor. INDICATOR LIGHT — tells you whenever oven is on. PORCELAIN ENAMEL CONSTRUCTION — for easy cleaning...lifetime beauty. LUXURY DOOR HANDLES — easy to look at...easy to clean...cool to the touch. ECONOMICAL — to buy...to install...to use...own.

OVEN

QUEEN-SIZE 18" BAKE-AND-BROIL OVEN — accommodates a whole meal...the largest steak or roast. BROILING ELEMENT — sizzles a steak to perfection. BAKE ELEMENT — for balanced-heat baking. FAST PRE-HEAT — bake and broil elements combine to bring oven up to temperature...quickly. Bake element alone then maintains temperature...economically. AUTOMATIC CONTROLS — turn oven on, cook foods, turn oven off...automatically. HEAVY INSULATION, RESILIENT DOOR SEAL — "lock" heat in oven, where it belongs. PORCELAIN OVEN INTERIOR, CHROME RACKS, CHROME HINGES — for easy cleaning, lifetime newness.

DROP-IN COUNTER TOP

GENERAL


ONLY 2 3/4" DEEP — super-shallow, for installation even above cabinet drawers. DRIP-PROOF COOKTOP — ends spillover cares. INDICATOR LIGHT — tells you whenever elements are on. DROP-IN INSTALLATION — with one simple countertop cutout.

SURFACE ELEMENTS

TWO 2,000-WATT ELEMENTS — for superfast cooking. TWO 1,250-WATT ELEMENTS — tailor the heat to smaller utensils. LIFT-UP ELEMENTS — lift up and out of the way for easy cleaning of cooktop. INFINITE CONTROLS — for high, low and 1,001 in-between heats. HIGH-SPEED ELEMENTS — not only heat faster, but cool more quickly as well...for less "hangover" heat, a cooler kitchen. SELF-CLEANING ELEMENTS — consume spillover in seconds.

WIRING SPECIFICATIONS

Oven and counter top for operation on 115/230-120/240 volts, A.C., single phase, three-wire service, 60 cycles. Underwriter Laboratory Seal of Approval.



NOTE: UNIT IS FURNISHED
WITH FLEXIBLE CONDUIT
6' LONG

CHOICE OF COLORS: Insert Letter "W"
White, "C" Antique Copper, "O" Onyx,
"Y" Gold Tone

STANDARD EQUIPMENT

HARDWICK STOVE COMPANY

CLEVELAND, TENNESSEE




 **HARDWICK**
30" SLIDE-IN ELECTRIC RANGE

America's Standard of Cooking Excellence Since 1879
02B-90881

HARDWICK

30" SLIDE-IN ELECTRIC RANGE



GENERAL

BUILT-IN STYLING — for snug fit between cabinets, against walls. **HIGH-STYLE CHROME AND PORCELAIN BACKPANEL** — adds distinction to any kitchen.

PORCELAIN ENAMEL SURFACES — for easy cleaning... lifetime beauty.

CUSTOM DOOR HANDLES — easy to look at... easy to clean... cool to the touch.

INDICATOR LIGHTS — tell you whenever oven or surface elements are on.

ECONOMICAL — to buy... to use... to own.

TOP-OF-THE-RANGE COOKING

LIFT-UP COOKTOP — for easy cleaning... easy maintenance.

RECESSED TOP — eliminates spillover cares.

INFINITE CONTROLS — give you high, low and 1,001 in-between heats!

HIGH-SPEED ELEMENTS — not only heat faster, but cool more quickly as well.

SELF-CLEANING ELEMENTS — consume spillover... instantly!

PLUG-IN ELEMENTS — easier to remove than a light bulb!

REMOVABLE DRIP BOWLS — stay bright, look new for a lifetime... and they're so easy to clean.

OVEN

LARGE CAPACITY OVEN... will accommodate a whole meal or the largest roast.

PORCELAIN OVEN INTERIOR, CHROME RACKS, CHROME HINGES — for easy cleaning, lifetime newness.

TOP BROIL ELEMENT — sizzles the largest steak to perfection.

BOTTOM BAKE ELEMENT — engineered to give even heat distribution throughout mammoth oven... for finest baking results.

FAST PREHEAT — both elements combine to bring oven up to preset temperature... in moments!

KING-SIZE BROILING PAN — to accommodate the largest steaks.

NON-SAG OVEN RACKS — to keep baking 'on the level'.


OVEN RACK STOPS — keep racks from pulling all the way out and spilling contents.

HEAVY INSULATION AND RESILIENT DOOR SEAL — 'lock' heat in oven where it belongs... and out of your kitchen.

WIRING SPECIFICATIONS

Range for operation on 115/230-120/240 volts, A.C., single phase, three-wire service, 60 cycles. Underwriters Laboratory Seal of Approval.

SPECIFICATIONS / Overall Height 40-1/8". Width 30". Depth 24-3/4". Height to Cooking Top 35". Oven 24" W x 19-1/8" D x 14" H. Storage Drawer 22" W x 19-1/4" D x 4-1/2" H. Top Elements Three 1250 Watt, one 2100 Watt Broil Element 3000 Watt Bake Element 3000 Watt Total Connected Load 133 KW



MODEL NUMBER WEIGHT

E968--81 (Illustrated on Front) 180

E961--81 (Illustrated Above) 195

CHOICE OF COLORES: Insert Letter "W" for White, "C" for Copper, "G" for Gold, "T" for Gold Tone

| STANDARD EQUIPMENT | | | | | | | | | | | | |
|--|------------------|-------------------------|---------------|----------------------------|-------------------|--------------------------------|---|---|----------------------------|-------------------------|-----------------------|-----|
| GENERAL | | | | TOP | | | | OVEN-BROILER | | | | |
| CHROME FRAMED MATCHING PORCELAIN BACKPANEL | INDICATOR LIGHTS | CHROME END AND TOP TRIM | LEVELING LEGS | LIFT UP DRIP PROOF COOKTOP | INFINITE CONTROLS | PLUG-IN SELF-CLEANING ELEMENTS | ONE 2,000-WATT, THREE 1,250-WATT ELEMENTS | "JET-GLOW" ALL GLASS LIFT OFF OVEN DOOR | OVEN WINDOW/AND OVEN LIGHT | SILASTIC OVEN DOOR SEAL | BROILER PAN WITH TRAY | |
| * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |

HARDWICK STOVE COMPANY • CLEVELAND, TENNESSEE



HARDWICK

30" CHALET® ELECTRIC RANGE
With Convenient Warming Shelf

America's Standard of Cooking Excellence Since 1879

85C-921200

HARDWICK

30" CHALET® ELECTRIC RANGE
With Convenient Warming Shelf



GENERAL

CHROME FRAMED GLASS BACKPANEL—magnificently massive . . . the focal point of any kitchen. ELECTRIC CLOCK—a "must" for modern kitchens. Timer signals end of preset cooking intervals. SHADOWBOX FLUORESCENT BACKPANEL—lights your way to finer cooking. BUILT-IN STYLING—for snug fit between cabinets, against walls. Gleaming chrome end-panel trim emphasizes built-in look. PORCELAIN ENAMEL FINISH—for easy cleaning . . . lifetime beauty. LUXURY DOOR HANDLES—easy to look at . . . easy to clean . . . cool to the touch. ECONOMICAL—to buy . . . to use . . . to own. LEVELING LEGS—"smooth out" uneven floors.

WARMING SHELF

Convenience a-plenty! Use the built-in temperature-controlled warming shelf to keep meals hot and tasty, rolls or other hot breads at butter melting deliciousness, and to warm plates or serving dishes. A delayed dinner no longer means a ruined meal. Now, just place everything on the shelf, flip on the switch and dinner is kept at perfect table temperature, without overcooking.

TOP-OF-THE-RANGE COOKING

LIFT-UP COOKTOP—for easy cleaning, easy maintenance. RECESSED TOP—eliminates spillover cares. INFINITE CONTROLS—give you high, low, and 1,001 in-between heats! HIGH-SPEED ELEMENTS—not only heat faster, but cool more quickly as well. SELF-CLEANING ELEMENTS—consume spillover . . . instantly! PLUG-IN ELEMENTS—easier to remove than a light bulb! REMOVABLE DRIP BOWLS—stay bright, look new for a lifetime . . . and they're so easy to keep clean.


OVEN

LARGE CAPACITY OVEN—will accommodate a whole meal or the largest roast. AUTOMATIC CLOCK CONTROLS—turn oven on, bake foods, turn oven off . . . automatically. PORCELAIN OVEN INTERIOR, CHROME RACKS, CHROME HINGES—for easy cleaning, lifetime newness. Heavy insulation—keeps heat in oven where it belongs, out of your kitchen. RESILIENT OVEN DOOR SEAL—"locks" door shut to hold heat inside. TOP BROIL ELEMENT—sizzles the largest steak to perfection. BOTTOM BAKE ELEMENT—engineered to give even heat distribution throughout mammoth oven . . . for finest baking results. FAST PREHEAT—both elements combine to bring oven up to preset temperature . . . in moments! KING-SIZE BROILING PAN—accommodates the largest steaks. NON-SAG OVEN RACKS—to keep baking "on the level." OVEN BACK STOPS—keep racks from pulling all the way out and spilling contents.

WIRING SPECIFICATIONS

Range for operation on 115/230-120/240 volts, A.C., single phase, three-wire service, 60 cycles. Underwriter Laboratory Seal of Approval.

SPECIFICATIONS / Overall Height 53 3/4" / Width 30" / Depth 25 1/4" / Height to Cooking Top 35" / Oven 24" W x 19 1/2" D x 14" H / Storage Drawer 22" W x 19 1/2" D x 4 1/2" H / Top Elements Three 1250 Watt / One 2100 Watt / Broil Element 2100 Watt / Bake Element 2000 Watt / Warming Shelf 900 Watt / Total Connector Cord 12 ft. 6 in.



MODEL NUMBER

WEIGHT

E921-H*-200A

230

E921-A*-200A

225

| STANDARD EQUIPMENT | | | | | | | | | | | | | |
|--|-------------------------------|-----------------|------------------------|---------------|----------------------------|-------------------|--------------------------------|---|---|--------------|---------------------------------|-------------------------|-----|
| GENERAL | | | | | | | TOP | | | OVEN-BROILER | | | |
| CHOICE OF COLORS: Insert Letter "W" for White, "C" Antique Copper, "O" Onyx, "Y" Gold Tone | CHROME FRAMED GLASS BACKPANEL | CHROME TRIM KIT | AUTOMATIC CLOCK, TIMER | LEVELING LEGS | LIFT-UP DRIP PROOF COOKTOP | INFINITE CONTROLS | PLUG-IN SELF-CLEANING ELEMENTS | ONE 2,000-WATT, THREE 1,250-WATT ELEMENTS | "JET-GLOW" ALL GLASS LIFT-OFF OVEN DOOR | ROTTISERIE | AUTOMATIC CLOCK-CONTROLLED OVEN | PORCELAIN OVEN INTERIOR | |
| * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| * | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |

EverKleen®—(add prefix "K") the new miracle oven that cleans itself automatically—while you cook!

HARDWICK STOVE COMPANY • CLEVELAND, TENNESSEE



HARDWICK
30" BARONESS ELECTRIC RANGE

America's Standard of Cooking Excellence Since 1879

60 A-90 165



HARDWICK

30" BARONESS ELECTRIC RANGE



GENERAL

DIE-CAST CHROME AND GLASS BACKPANEL — magnificently massive... the focal point of any kitchen. ELECTRIC CLOCK — a "must" for modern kitchens. Timer signals end of preset cooking intervals. APPLIANCE OUTLET — convenient for toaster, mixer and other small appliances. SHADOWBOX FLUORESCENT BACKPANEL — lights your way to finer cooking. BUILT-IN STYLING — for snug fit between cabinets, against walls. Gleaming chrome end-panel trim emphasizes built-in look. INDICATOR LIGHTS — tell you whenever oven, surface elements are on. PORCELAIN ENAMEL CONSTRUCTION — for easy cleaning... lifetime beauty. LUXURY DOOR HANDLES — easy to look at... easy to clean... cool to the touch. QUALITY BUILT — by a manufacturer with 88 years' experience building fine cooking appliances. ECONOMIC — to buy... to use... to own.

LEVELING LEGS — “smooth out” uneven floors.

TOP-OF-THE-RANGE COOKING

LIFT-UP COOKTOP — for easy cleaning, easy maintenance. RECESSED TOP — eliminates spillover cares. INFINITE CONTROLS — give you high, low, and 1,001 in-between heats! HIGH-SPEED ELEMENTS — not only heat faster, but cool more quickly as well. SELF-CLEANING ELEMENTS — consume spillover... instantly! PLUG-IN ELEMENTS — easier to remove than a light bulb! REMOVABLE DRIP BOWLS — stay bright, look new for a lifetime ... and they're **so** easy to keep clean.

OVEN

LARGE CAPACITY OVEN—will accommodate a whole meal or the largest roast. **AUTOMATIC CLOCK CONTROLS**—turn oven on, bake foods, turn oven off... automatically. **PORCELAIN OVEN INTERIOR, CHROME RACKS, CHROME HINGES**—for easy cleaning, lifetime newness. Heavy insulation—keeps heat in oven where it belongs, out of your kitchen. **RESILIENT OVEN DOOR SEAL**—'locks' door shut to hold heat inside. **TOP BROIL ELEMENT**—sizzles the largest steak to perfection. **BOTTOM BAKE ELEMENT**—engineered to give even heat distribution throughout mammoth oven... for finest baking results. **FAST PREHEAT**—both elements preheat oven... over 400° in 10 minutes. **TEMPERATURE ADJUSTMENTS**—**KING-SIZE BROILING PAN**—accommodates the largest steaks. **NON-SAG OVEN RACKS**—to keep baking 'on the level'. **OVEN RACK STOPS**—keep racks from pulling all the way out and spilling contents.

WIRING SPECIFICATIONS

Range for operation on 115/230-120/240 volts, A.C., single phase, three-wire service, 60 cycles. Underwriter Laboratory Seal of Approval.

SPECIFICATIONS

| | |
|-----------------------------|---|
| Overall height | 46" |
| Width | 30" |
| Depth | 24 ³ / ₄ " |
| Height to Cooking Top | 36" |
| Oven | 24" W x 19 ¹ / ₈ " D x 13 ³ / ₄ " H |
| Storage Drawer | 22" W x 19 ¹ / ₈ " D x 4 ¹ / ₂ " H |
| Top Elements | three 1250 watt, one 2100 watt |
| Broil Element | 3,000 watt |
| Bake Element | 3,000 watt |
| Total Connected Load | 13.3 KW |

STANDARD EQUIPMENT

[illegible]

EverKleen® (add prefix "K") The new miracle oven that cleans itself automatically — while you cook!

HARDWICK STOVE COMPANY • CLEVELAND, TENNESSEE

HARDWICK

1970 ELECTRIC RANGE PRICE LIST

NO. HE 1107-A

ALL PRICES ARE F.O.B. FACTORY, CLEVELAND, TENNESSEE. TERMS: NET 30 DAYS. PRICES AND EQUIPMENT SUBJECT TO CHANGE WITHOUT NOTICE.

EYE-LEVEL
ELECTRIC RANGE
PRICE LIST

"STD"—STANDARD EQUIPMENT

| EYE-LEVEL ELECTRIC RANGE PRICE LIST | | | GENERAL | | | | | | | | UPPER OVEN | | | | RANGE TOP | | | LOWER OVEN—BROILER | | | | | | | |
|---|------------|-----|-----------------|---------------------------------------|----------------------------------|-------------------------|---------------|---------------------------|------------------------|----------------------------------|------------------------------------|------------|-----------------------|---------------------------------|-----------------------------------|---|-------------------------------|--|--|------------|------------------------------------|---------------------------|---------------------------|--|--|
| | | | CHROME TRIM KIT | FLUORESCENT LIGHT OVER SURFACE TOP | PORCELAIN MATCHING END PANELS | LOWER UTILITY GRATES | LEVELING LEGS | "EVERLEEN" OVEN PANELS | ALL-GLASS OVEN DOOR | DECORATED GLASS CONTROL PANEL | AUTOMATIC COOK- CONTROLLED OVEN | OVEN LIGHT | SILASTIC OVEN DOOR | PORCELAIN LIFT-UP ACCESS TOP | PLUG-IN SELF-CLEANING ELEMENTS | ONE 2000-WATT, THREE 1,200-WATT ELEMENTS | OVEN WINDOW AND OVEN LIGHT | LIFT-OFF OVEN DOOR WITH CHROME LINING | JET-GLOW ALL-GLASS LIFT-OFF OVEN DOOR | ROTISSERIE | AUTOMATIC COOK- CONTROLLED OVEN | "SMART" OVEN DOOR SEAL | "EVERLEEN" OVEN PANELS | | |
| MODEL NUMBER | LIST PRICE | WT. | | | | | | | | | | | | | | | | | | | | | | | |
| 30" EYE-LEVEL MODELS | | | | | | | | | | | | | | | | | | | | | | | | | |
| BKC861-H * -700A | 578.50 | 295 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | |
| EC861-H * -700A | 503.50 | 275 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | |
| EKC861- * -700A | 558.50 | 290 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | |
| EC861- * -700A | 483.50 | 270 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | |
| EKC862- * -700A | 532.00 | 285 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | |
| EC862- * -700A | 457.00 | 265 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | |
| EC868- * -700A | 450.50 | 265 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | |
| EC866- * -700A | 438.00 | 260 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | |

*IMPORTANT: Indicate Choice of Color By Inserting Proper Code Letter. "W" WHITE—"C" ANTIQUE COPPER—"O" AVOCADO—"Y" GOLDTONE.

IMPORTANT: CURRENT EYE-LEVEL MODELS WILL BE SUBSTITUTED UNTIL MARCH 1, 1970, WHEN THE ABOVE EYE-LEVEL MODELS BECOME AVAILABLE.

FREE-STANDING ELECTRIC RANGE PRICE LIST

| | | | GENERAL | | | | | RANGE TOP | | | | OVEN—BROILER | | | | | |
|--------------------------------|------------|-----|---------------|-------------------------------|----------------------------|------------------------|----------------------|-----------------|--------------------------------|--------------------------------|---|------------------------|----------------------------|---------------------------------------|---|------------------------|-------------------------|
| MODEL NUMBER | LIST PRICE | WT. | WARMING SHELF | FLUORESCENT LIGHTED BACKPANEL | CHROME/PORCELAIN BACKPANEL | AUTOMATIC CLOCK, TIMER | LOWER UTILITY DRAWER | CHROME TRIM KIT | PORCELAIN LIFT-UP RECESSED TOP | PLUG-IN SELF-CLEANING ELEMENTS | ONE 2,000-WATT, THREE 1,250-WATT ELEMENTS | "EVERELEN" OVEN PANELS | OVEN WINDOW AND OVEN LIGHT | LIFT-OFF OVEN DOOR WITH CHROME LINING | JIF-EGG™ ALL-PURPOSE LIFT-OFF OVEN DOOR | NOTES (SEE LISTING #1) | SILICONE OVEN DOOR SEAL |
| 30" CHALET MODELS | | | | | | | | | | | | | | | | | |
| EKC921-H * -200A | 468.50 | 245 | STD | STD | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| EC921-H * -200A | 416.50 | 230 | STD | STD | | STD | STD | STD | STD | STD | STD | | STD | STD | STD | STD | STD |
| EKC921- * -200A | 448.50 | 240 | STD | STD | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | STD |
| EC921- * -200A | 396.50 | 225 | STD | STD | | STD | STD | STD | STD | STD | STD | | STD | STD | STD | | STD |
| EKC922- * -200A | 422.00 | 235 | STD | STD | | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | STD |
| EC922- * -200A | 370.00 | 220 | STD | STD | | STD | STD | STD | STD | STD | STD | | STD | STD | | | STD |
| 30" FREESTANDING MODELS | | | | | | | | | | | | | | | | | |
| EKC971-H * -65A | 412.50 | 230 | | STD | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| EC971-H * -65A | 360.50 | 215 | | STD | | STD | STD | STD | STD | STD | STD | | STD | STD | STD | STD | STD |
| EKC971- * -65A | 392.50 | 225 | | STD | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | STD |
| EC971- * -65A | 340.50 | 210 | | STD | | STD | STD | STD | STD | STD | STD | | STD | STD | STD | | STD |
| EKC972- * -65A | 366.00 | 215 | | STD | | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | STD |
| EC972- * -65A | 314.00 | 200 | | STD | | STD | STD | STD | STD | STD | STD | | STD | STD | | | STD |
| EKC971-H * -35A | 380.50 | 220 | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| EC971-H * -35A | 328.50 | 205 | | STD | STD | STD | STD | STD | STD | STD | STD | | STD | STD | STD | STD | STD |
| EKC971- * -35A | 360.50 | 215 | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | STD |
| EC971- * -35A | 308.50 | 200 | | STD | STD | STD | STD | STD | STD | STD | STD | | STD | STD | STD | | STD |
| EKC972- * -35A | 334.00 | 210 | | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | STD |
| EC972- * -35A | 282.00 | 190 | | STD | STD | STD | STD | STD | STD | STD | STD | | STD | STD | | | STD |
| EC978- * -35A | 263.50 | 190 | | STD | STD | STD | STD | | STD | STD | STD | | STD | | | | STD |
| EC976- * -35A | 251.00 | 185 | | STD | STD | STD | STD | | STD | STD | STD | | | | | | STD |
| EC978- * -83A | 238.50 | 180 | | STD | STD | STD | | | STD | STD | STD | | STD | | | | STD |
| EC976- * -83A | 226.00 | 175 | | STD | STD | STD | | | STD | STD | STD | | | | | | STD |
| EC976- * -81 | 206.00 | 175 | | STD | | STD | | | STD | STD | STD | | | | | | STD |
| EC976-D * -81 | 200.00 | 170 | | STD | | | | | STD | STD | STD | | | | | | STD |
| 20" FREESTANDING MODELS | | | | | | | | | | | | | | | | | |
| EC178- * -1 | 193.50 | 140 | | STD | | STD | | | STD | STD | STD | | STD | | | | STD |
| EC176- * -1 | 181.00 | 135 | | STD | | STD | | | STD | STD | STD | | | | | | STD |
| EC178-D * -1 | 187.50 | 135 | | STD | | | | | STD | STD | STD | | STD | | | | STD |
| EC176-D * -1 | 175.00 | 130 | | STD | | | | | STD | STD | STD | | | | | | STD |

*IMPORTANT: Indicate Choice of Color By Inserting Proper Code Letter. "W" WHITE—"C" ANTIQUE COPPER—"O" AVOCADO—"Y" GOLDTONE. ("Y" GOLDTONE Available only on 30" Models)

SLIDE-IN ELECTRIC RANGE PRICE LIST

"STD"—STANDARD EQUIPMENT

| | | | GENERAL | | | | RANGE TOP | | | | OVEN—BROILER | | | | | | |
|--------------------------|------------|-----|----------------------------------|---------------------------------------|---------------------|----------------------|-----------------|--------------------------------|------------------------------|---|-------------------------|----------------------------|---------------------------------------|---------------------------------------|-------------------------|------------------------|---------------------------------|
| MODEL NUMBER | LIST PRICE | WT. | PORCELAIN/CHROME TRIM BACK/PANEL | AUTOMATIC CLOCK WITH APPLIANCE OUTLET | MATCHING END PANELS | LOWER UTILITY DRAWER | CHROME TRIM KIT | PORCELAIN LIFT-UP RECESSED TOP | HIGH SPEED CLEANING ELEMENTS | ONE 2,000-WATT, THREE 1,250-WATT ELEMENTS | "EVERREADY" OVEN PANELS | OVEN WINDOW AND OVEN LIGHT | LIFT-OFF OVEN DOOR WITH CHROME LINING | JET-GLOW ALL-GLASS LIFT-OFF OVEN DOOR | ROTISSERIE (LETTER "H") | SLASTIC OVEN DOOR SEAL | AUTOMATIC CLOCK-CONTROLLED OVEN |
| 30" CUSTOM MODELS | | | | | | | | | | | | | | | | | |
| EKC961-H * -83A | 357.50 | 215 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD |
| EC961-H * -83A | 305.50 | 200 | STD | STD | STD | STD | STD | STD | STD | STD | | STD | STD | STD | STD | STD | STD |
| EKC961- * -83A | 337.50 | 210 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | STD | STD |
| EC961- * -83A | 285.50 | 195 | STD | STD | STD | STD | STD | STD | STD | STD | | STD | STD | STD | | STD | STD |
| EC961- * -81 | 265.50 | 195 | STD | | STD | STD | STD | STD | STD | STD | | STD | STD | STD | | STD | STD |
| EC968- * -83A | 252.50 | 185 | STD | STD | STD | STD | STD | STD | STD | STD | | STD | | STD | | STD | STD |
| EC968- * -81 | 232.50 | 180 | STD | | STD | STD | STD | STD | STD | STD | | STD | | | | STD | STD |

BUILT-IN ELECTRIC RANGE PRICE LIST

"STD"—STANDARD EQUIPMENT

| | | | GENERAL | | | | UPPER OVEN—BROILER | | | | LOWER OVEN—BROILER | | | | COUNTER TOP | | | |
|---------------------------|------------|-----|-----------------------------------|-----------------------------------|-----------------------|-------------------------|----------------------------|---------------------------------------|---------------------------------|-----------------------|------------------------|-------------|----------------------------------|-------------------|------------------------------|---|--------------------------------|-------------|
| MODEL NUMBER | LIST PRICE | WT. | DICORATED ALL-GLASS CONTROL PANEL | DICORATED PORCELAIN CONTROL PANEL | LIGHTED CONTROL PANEL | ROTISSERIE (LETTER "H") | OVEN WINDOW AND OVEN LIGHT | LIFT-OFF OVEN DOOR WITH CHROME LINING | AUTOMATIC CLOCK-CONTROLLED OVEN | BROILER PAN WITH TRAY | SLASTIC OVEN DOOR SEAL | OVEN WINDOW | LIFT-OFF DOOR WITH CHROME LINING | SLASTIC DOOR SEAL | CHROME DIE-CAST LIFT-UP TRIM | TWO 2,000-WATT, TWO 1,250-WATT ELEMENTS | SELF-CLEANING PLUG-IN ELEMENTS | LIFT-UP TOP |
| DOUBLE OVEN MODELS | | | | | | | | | | | | | | | | | | |
| EC771-H * -61A | 300.00 | 160 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | | |
| EC771- * -61A | 280.00 | 155 | STD | STD | STD | | STD | STD | STD | STD | STD | STD | STD | STD | | | | |
| EC764-H * -61A | 280.00 | 150 | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | STD | | | | |
| EC764- * -61A | 260.00 | 145 | STD | STD | STD | | STD | STD | STD | STD | STD | STD | STD | STD | | | | |
| EC752- * -61A | 170.00 | 105 | STD | | STD | | STD | STD | STD | STD | STD | | | | | | | |
| EC758- * -11A | 155.00 | 100 | | STD | | | STD | | STD | STD | STD | | | | | | | |
| COUNTER TOPS | | | | | | | | | | | | | | | | | | |
| EC446- * | 101.00 | 35 | | | | | | | | | | | | | | STD | STD | STD |
| EC456- * | 89.00 | 30 | | | | | | | | | | | | | | | STD | STD |

*IMPORTANT: Indicate Choice of Color By Inserting Proper Code Letter. "W" WHITE—"C" ANTIQUE COPPER—"O" AVOCADO—"Y" GOLDTONE. ("B" BRUSHED CHROME: Available only on built-in ovens and counter tops)


TERMS AND CONDITIONS

TERMS: All prices are F.O.B. Cleveland, Tennessee. Terms: Net 30 Days. (Repair parts net 10 days.)

CONDITIONS OF SALE: All orders subject to seller's approval; also subject to strikes, labor troubles, machinery breakdown, fires, delivery of raw materials and other operating conditions beyond seller's control; also any government tax, laws or price regulations affecting seller's operations, prices, cost or ability to deliver, that might become effective prior to date of shipment.

The unit price of each range shown on this price list covers the cost of range only. All Hardwick ranges are covered by Hardwick printed warranty as shown on the back of the Owner's Guide and inserted in the oven of each Hardwick range when shipped. The Hardwick dealer or distributor has the option to buy this one-year service from the Hardwick Stove Company at a predetermined fixed amount or by signing an agreement with the Hardwick Stove Company that they will perform this service to the consumer. If Hardwick Stove is to cover service under warranty the charges will be separately stated on each invoice.

KEY TO ELECTRIC RANGE MODEL NUMBERS



"C"—Designates year of production (Ex: EC921-W-200A).

"E"—Electric Range (Ex: E-968-W-83R).

"K"—Designates "Everklean" Oven Panels.
Ex: EKC861-W-700A.

FIRST TWO DIGITS

Designates Range Series:

- 100 Series—20" Free-Standing Models.
- 446 Series—Luxury Drop-In Surface Unit with Hinged Top.
- 456 Series—Deluxe Drop-In Surface Unit. Non-Hinged Top.
- 750 Series—Built-In Single Oven Units.
- 760 Series—Built-In Double Oven Units.
- 770 Series—Built-In Double Oven Units w/Jet-Glow All-Glass Doors.
- 860 Series—30" Double-Oven Eye-Level Models.
- 920 Series—30" Warming Shelf Models.
- 960 Series—30" Slide-In Models.
- 970 Series—30" Free-Standing Models.

LAST DIGIT

Designates Equipment:

- 8—Oven Window & Light (Ex: EC978-W-35A).
- 6—Plain Oven Door (Ex: EC976-W-35A).
- 4—Built-In Double Oven with Upper and Lower Window, Lights, Chrome-Lined Lift-Off Doors (Ex: EC764-W-61A).
- 2—Oven Window & Light. Chrome-Lined Lift-Off Door (Ex: EC972-W-65A).
- 1—Jet-Glow All-Glass Lift-Off Oven Door (Ex: EC971-W-65A).

LETTERS (Following Series Number)

Designates Optional Equipment, Color:

"H"—Rotisserie (Ex: EC971-HW-65A).

"D"—No Lower Utility Drawer (Ex: EC976-DW-81).

"W"—White; "C"—Antique Copper; "B"—Brushed Chrome;
"O"—Avocado Green; "Y"—Goldtone (Ex: EC-978-W-65A)

DASH NUMBER

Designates Control Panel or Backguard:

Electric Built-In Oven Control Panels are Designated by -11 and -61. Electric Slide-In Range Backguards are Designated by -81 and -83. Electric Double-Oven Eye-Level Range Control Panels are Designated by -700A. Electric Free-Standing Range Backguards are Designated by -81, -83A, -35A, -65A. Warming Shelf Backguards are Designated by -200A.

Examples: EC758-W-61A—Built-In Range Lighted Glass Control Panel.

EC968-W-83A—Slide-In Range Backguard with Automatic Clock.

EC862-W-700A—Double Oven Range Control Panel with Automatic Clock.

EC978-W-65A—Free-Standing Range Backguard with Automatic Clock.

EC921-W-200A—Free-Standing Range with Warming Shelf and Automatic Clock.

SUFFIX (Following Dash Number)

Designates Features:

"A"—Automatic Clock (Ex: EC972-W-65A).